VOL. 27, NO. 6

**FEBRUARY 1953** 

# Public Roads

JOURNAL OF HIGHWAY RESEARCH

PUBLIC LIBRARY.
FEB 9+1.53
DETROIT

PUBLISHED BY
THE BUREAU OF
PUBLIC ROADS,
U. S. DEPARTMENT
OF COMMERCE,
WASHINGTON



Late afternoon traffic on the Orleans Street Viaduct, Baltimore, Md.

## **Public Roads**

#### A JOURNAL OF HIGHWAY RESEARCH

Vol. 27, No. 6

February 1953

B

pe pe

lir

In

th

19. pe

hi

hig 39 mc

an Da gu in tre

ru

PU

Published Bimonthly



#### IN THIS ISSUE

Trends in Traffic Volumes, Vehicle Types, and Weights	111
Road Test One—MD, a motion picture	125
New Publications	125

## BUREAU OF PUBLIC ROADS Washington 25, D. C.

REGIONAL HEADQUARTERS 870 Market St. San Francisco 2, Calif.

#### DIVISION OFFICES

No. 1. 718 National Savings Bank Bldg., Albany 7, N. Y.

Connecticut, Maine, Massachusetts, New Hampshire, New Jersey, New York, Rhode Island, and Vermont.

No. 2. 707 Earles Bldg., Hagerstown, Md.

Delaware, District of Columbia, Maryland, Ohio,
Pennsylvania, Virginia, and West Virginia.

No. 3. 50 Seventh St., N. E., Atlanta 5, Ga. Alabama, Florida, Georgia, Mississippi, North Carolina, South Carolina, and Tennessee.

No. 4. South Chicago Post Office, Chicago 17, Ill. Illinois, Indiana, Kentucky, and Michigan.

No. 5. (NORTH). Main Post Office, St. Paul 1, Minn.

Minnesota, North Dakota, South Dakota, and Wisconsin.

No. 5. (SOUTH). Federal Office Bldg., Kansas City 6, Mo. Iowa, Kansas, Missouri, and Nebraska.

No. 6. 502 U. S. Courthouse, Forth Worth 2, Tex. Arkansas, Louisiana, Oklahoma, and Texas.

No. 7. 870 Market St., San Francisco 2, Calif. Arizona, California, Nevada, and Hawaii.

No. 8. 753 Morgan Bldg., Portland 8, Oreg. Idaho, Montana, Oregon, and Washington.

No. 9. Denver Federal Center, Bldg. 40, Denver 2, Colo.
Colorado, New Mexico, Utah, and Wyoming.

No. 10. Federal Bldg., Juneau, Alaska.

Alaska.

PUBLIC ROADS is sold by the Superintendent of Documents, Government Printing Office, Washington 25, D. C., at \$1 per year (foreign subscription \$1.25) or 20 cents per single copy. Free distribution is limited to public officials actually engaged in planning or constructing highways, and to instructors of highway engineering. There are no vacancies in the free list at present.

The printing of this publication has been approved by the Director of the Bureau of the Budget, January 5, 1952.

E. A. STROMBERG, Editor

## Trends in Traffic Volumes, Vehicle Types and Weights

BY THE HIGHWAY TRANSPORT RESEARCH BRANCH BUREAU OF PUBLIC ROADS

> Reported by THOMAS B. DIMMICK, Head, Current Data Analysis Unit

Total travel on all rural roads in 1951 broke all records, exceeding the 1950 previous high by 10 percent. On the 356,000 miles of main rural roads in the United States, travel in 1951 was almost 190 billion vehicle-miles, of which 78 percent was by passenger cars, 1 percent by busses, and 21 percent by freight-carrying vehicles.

Trucks and combinations hauled 4 percent more ton-mileage of freight on main rural roads in 1951 than in 1950. Single-unit truck travel was 2 percent higher than in 1950 while that of combinations increased about 1 percent. The average carried load for all trucks and combinations in 1951 was less than 1 percent above the average in 1950.

d

2,

D S

CE

itor

In 1951, 5 percent of all trucks and combinations exceeded a State legal weight limit, and 14 percent of the combinations were illegally overloaded in some particular. In comparison with 1950, the percentage of overweight vehicles for 1951 decreased in all regions except New England and the West North Central States.

R URAL MOTOR-VEHICLE TRAVEL broke all previous records in 1951 for the sixth consecutive year. The estimated 1951 traffic on all rural roads was over 10 percent above the 1950 total, 20 percent higher than in 1949, almost 31 percent higher than in 1948, slightly more than 39 percent higher than in 1947, somewhat more than 52 percent higher than in 1946, and almost 53 percent higher than in 1941. Data collected from January through August indicate that travel on all rural roads in 1952 will continue the same general trend and will be almost 7 percent higher than in 1951.

The variation in average daily travel on rural roads by months in the three main geographical divisions and in the United




Figure 1.—Travel on all rural roads in 1950, 1951, and in the first 10 months of 1952.

<sup>&</sup>lt;sup>1</sup>The States comprising each census region, and the regions comprising each geographic division, are indicated in table 1.

States as a whole is illustrated in figure 1 for the years 1950, 1951, and the first 10 months of 1952. Travel in each month of these years in the Eastern and Central regions and in the United States as a whole was well above that of the corresponding month of the earlier year. The Western region showed only slight gains in January and March of 1952 compared to the amount of travel in 1951 but a fairly steady gain in all other months.

For the three Eastern regions, the chart indicates a somewhat greater increase than that shown by continuous counts at fixed locations because of the upward adjustments of the vehicle-mileage following recent surveys and analyses by Georgia and New York, more comprehensive than those previously made. Similar adjustments in other regions, following new surveys and analyses, did not result in changes of appreciable significance.

Approximately the same rate of increase in 1952 over 1951 is indicated by data collected in the first portion of the later year. The partial 1952 information indicated increases of 6 percent in the Central States and 7 percent in the Eastern and Western

States. The largest indicated increase over 1951 in any census region was 10 percent in the East South Central; the smallest increase was 5 percent in the Middle Atlantic region.

Summer travel constituted a smaller portion of the annual travel in 1951 than in any recent year. In the last two prewar years (1940 and 1941), the average daily traffic in July and August was 23 percent above the average traffic for the year. Not until 1949 did the summer travel reach the prewar ratio. In 1950 the average daily summer travel was over 24 percent above the annual average daily amount, but this figure slumped to 22 percent in the 1951 summer season.

Figure 2, showing travel on all rural roads by 12-month periods ending each month (moving average) and as a percentage of traffic in the calendar year 1941, gives an accurate picture of the effect of wartime restrictions on prewar travel and the steady growth of traffic that has occurred since the end of hostilities. The increase in traffic from the end of 1946 to the present has averaged almost 9 percent, compounded annually. From these data it

is apparent that the general pattern of traffic growth is being maintained with no evidence of its leveling off.

The lower portion of figure 2, showing the relation of travel by 12-month periods in each of the main geographical regions of the United States to that in the calendar year 1941, shows clearly how much travel was shifted westward during the war. The spread between the curves for the three regions remained constant during 1947 and 1948, was reduced slightly during 1949 and 1950, and was greatly reduced in 1951 and the portion of 1952 shown.

#### Basis of Estimates

During certain prewar years, generally 1936 or 1937, nearly every State conducted a comprehensive survey of traffic in which all vehicles counted were classified by type. At the same time a large number of trucks and truck combinations were stopped and weighed and information recorded concerning their weight, dimensions, and other important features.

While the large number of automatic recorders operated on the rural roads of




Figure 2.—Travel on all rural roads by 12-month periods ending each month, in vehicle-miles and as a percentage of traffic in the calendar year 1941.

s

m 26 24 ch L each State give a good indication of the trend of total traffic on these highways, they provide no indication of the classification of vehicles by type, weight, or other characteristics. In order to determine the trends in such factors, brief check surveys were made in the summer of 1942 at certain typical stations in most States. From strictly comparable information gathered in the two surveys, trends were calculated which were used to determine the changes in traffic and vehicle characteristics that had taken place since the comprehensive survey was made. Since 1942, check survevs have been made annually. Most States have participated in these each year and all have participated at some time.2 Such surveys were conducted in 45 States in 1951, although two States, Virginia and Washington, were unable to analyze their data in time to be included in this report.

of

10

ne

in

of

ar

rel

ree

nd

nd

ally

ted

iich

pe.

and ern-

im-

atic of

Classification counts made in numerous States, in addition to those made at weight stations, added valuable information concerning vehicle-type proportions. Greatly expanded loadometer surveys made throughout the year in a few States have furnished more reliable data concerning vehicle types and weights than can be obtained from trend data alone. Starting in the summer of 1950, a number of weight stations were selected in 26 States from which data concerning weights and characteristics of truck traffic were to be used in studying loads and their relation to pavement damage. These stations generally are operated 16 or 24 hours a day and at least one day each season. The new data derived from these more extensive operations give more information concerning traffic characteristics in various hours of the day and seasons of the year than has been available at any time since the time of the initial surveys. All of these data wherever available have been used in the estimates.

#### 1951 Summer Loadometer Survey

The stations used in the check surveys were selected initially to give a representative cross section of traffic on main rural roads. They were operated for one or more 8-hour periods on a weekday, generally from either 6 a.m. to 2 p.m. or from 2 p.m. to 10 p.m. All traffic passing through the stations during the period was counted and classified into the following categories: local passenger cars; foreign (out-of-State) passenger cars; panel and pick-up trucks; other two-axle, four-tire trucks; two-axle, six-tire trucks; three-axle trucks; trucktractor and semitrailer combinations; truck and trailer combination or truck-tractor semitrailer and trailer combinations; and busses. The combination-type vehicles were

further subdivided according to number of axles of each.3

Most of the weight stations were operated during July, August, and September. The survey period, number of stations operated, number of vehicles counted, and the number weighed are shown for each State in table 1. More than 1.7 million vehicles were

Table 1.—Survey period, number of stations operated, number of vehicles counted, and number weighed in each State in the special weight surveys, summer of 1951

Region and State	Survey period	Number	Total vehicles	Trucks an	d truck
Region and State	burroy portou	of stations	counted	Counted	Weighe
New England: Connecticut	Aug. 1-Aug. 24	9	36,695 46,899	6,820 8,132	1,665 3,334
Maine Massachusetts New Hampshire Rhode Island	July 23-Aug. 13 No survey	10	37,703 22,890	14,817 4,921	2,145
Vermont				1,834	1,698
Subtotal Middle Atlantic:		89	260 ,350	36,524	13 ,222
New Jersey New York Pennsylvania	July 30-Aug. 8 July 18-July 30 July 16-Aug. 31	10 20 13	96,500 34,425 70,602	15,205 8,072 15,425	2,069 1,522 3,133
Subtotal		43	201 527	38 ,702	6,724
South Atlantic: Delaware	Aug. 9-Aug. 27	8	28,921	6,033	1,106
Florida Georgia Maryland North Carolina South Carolina Virginia	June 18-July 17	10 12 10	37,116 99,676 31,975 19,783	9,663 20,042 6,946 5,276	4 ,489 3 ,588 4 ,153 2 ,095
West Virginia			14,494	3,583	1,513
Subtotal			231 ,965	51 ,543	16,944
Eastern regions, subtotal		146	693 ,842	126 ,769	36,890
East North Central: Illinois. Indiana. Michigan Ohio. Wisconsin.	July 10-July 26	1 20 1	55,770 29,823 29,570 90,241	13 ,171 6 ,202 5 ,694 13 ,410	4 .724 2 ,208 1 ,514 3 ,181
Subtotal		58	205 ,404	38,477	11 ,627
East South Central; Alabama. Kentucky Mississippi Tennessee.	July 17-Aug. 21. July 11-Aug. 17 July 11-July 6. Aug. 21-Sept. 5	10 10 15 10	32,599 39,679 27,469 15,076	8,121 9,287 6,757 4,203	6 ,182 3 ,470 3 ,734 1 ,756
Subtotal		45	114 ,823	28,368	15,142
West North Central:	Aug. 10-Sept. 13 June 4-Oct. 18. July 30-Aug. 28. July 19-Aug. 22. July 10-Aug. 31.	10 14 21 20	33 ,348 10 ,484 59 ,110 176 ,641 27 ,015 24 ,179 24 ,174	5,932 2,260 10,677 32,948 5,604 5,036 3,899	5,220 571 3,671 11,973 5,373 1,811 3,601
Subtotal		104	354 ,951	66 ,356	32,220
West South Central: Arkansas. Louisiana Oklahoma. Texas.	July 30-Aug. 13	10 10 10 20	17,381 13,089 28,995 108,115	5,802 3,620 6 526 23,583	1,371 1,138 5,983 5,535
Subtotal		50	167 ,580	39 ,531	14 ,027
Central regions, subtotal		257	842 ,758	172 ,732	73 ,016
Mountain: Arizona Colorado Idaho Montana Nevada New Mexico Utah Wyoming	July 31-Aug. 17 Aug. 6-Aug. 20 July 16-Aug. 3	13 10 11 10 10	10 ,291 26 ,226 15 ,441 27 ,498 8 ,924 15 ,194 19 ,879 12 ,610	2,245 3,664 3,003 5,121 1,560 3,372 3,672 2,255	590 846 1,484 2,118 708 1,516 1,092 767
Subtotal		. 84	136,063	24 ,892	9,121
Pacific: California Oregon Washington	Aug. 8-Aug. 23	. 8	172,180 19,852	13,902 3,965	4 ,226 2 ,187
Subtotal			92,032	17,867	6,413
Western regions, subtotal		109	228,095	42 ,759	15 ,534
United States total		512	1 ,764 ,695	342,260	125 ,440

<sup>&</sup>lt;sup>1</sup> Passenger cars not counted; figure given is an estimate based on data from other reports,

ROADS

<sup>&</sup>lt;sup>3</sup> In this article, the term "truck" is used to indicate a single-unit vehicle; "truck combination" to indicate truck-tractor semitrailer (with or without full trailer) and truck with full trailer; and "truck and truck combinations" or "trucks and combinations" to indicate all of these vehicles together.


<sup>&</sup>lt;sup>2</sup> See Traffic trends on rural roads, by T. B. Dimmick, Public Roads, vol. 26, No. 11, Dec. 1951; vol. 26, No. 5, Dec. 1950; vol. 25, No. 12, Feb. 1950; vol. 25, No. 7, Mar. 1949; vol. 25, No. 3, Mar. 1948; vol. 24, No. 10, Oct.-Nov.-Dec. 1946; and Amount and characteristics of trucking on rural roads, by J. T. Lynch and T. B. Dimmick, Public Roads, vol. 23, No. 9, July-Aug.-Sept. 1943.

counted at all stations during the period of the survey. Almost one-fifth of these were freight-carrying vehicles, of which almost 37 percent were weighed.

Wherever traffic volume permitted, each truck and truck combination was stopped and weighed. Where this procedure was impracticable, all of the less common types were weighed and the common vehicle types were weighed in sufficient numbers to establish their characteristics from the sample. The type of vehicle, whether loaded or empty, the number of axles, and the weight of each axle were recorded. The axle-spacing and the total wheelbase length of the heavier vehicles were measured. Passenger cars and busses were counted but not stopped for weighing.

#### Prewar Traffic Trend Increased

Figure 3 shows in chart form the vehiclemileage of travel on all rural roads, by vehicle types, for each year from 1936 to 1951, inclusive. It is apparent that the effect of the drastic restrictions on travel during the war period, 1942-45, caused but a temporary dip in traffic growth and that the 1951 vehicle-mileage was as high as would have been estimated by any rational projection of the prewar trend. A straight line from the top of the bar for 1936 to the top of the bar for 1951 passes through the top of the bar for 1937 and for 1941 and falls well above the tops of the bars for all other years. This line indicates an average (simple) increase over the 15 years of almost 7.4 percent a year. This is equivalent to a rate of 5.1 percent compounded annually. The period 1936 to 1941 has much in common with the period 1946 to 1951, inclusive. During both periods the trend was quite uniform for the first 4 years but there was an upsurge of traffic in the fifth Traffic levels were considerably higher in the 1946 to 1951 period than in the earlier one, and the rate of increase was greater. During the earlier 5-year






Figure 3.—Travel on all rural roads, 1936-51, by classes of vehicles.

52 percent, or an average of 8.7 percent a year, compounded annually.

Travel by trucks and truck combinations increased in a manner very similar to that observed for all vehicles. For truck combinations alone, the 1936-51 line lies above the tops of all bars from 1937 to 1949, inclusive, thus showing an accelerating up-

ward trend in the travel by these heavier vehicles. This trend is emphasized by other data given in other portions of this report. 0

tl

re

As previously stated, the traffic data collected at automatic traffic-recorder stations in the first half of 1952 indicate that travel by all types of vehicles has continued to increase over that in the same months of

Table 2.—Ratio of 1951 traffic on main rural roads to corresponding traffic in 19501

		Eastern	regions			Ce	ntral regio	ons		We	stern regi	ons	
Vehicle type	New England	Middle Atlantic	South Atlantic	Average	East North Central	East South Central	West North Central	West South Central	Aver- age	Moun- tain	Pacific	Aver- age	United States average
Passenger cars: Local. Foreign All passenger cars.	1.19 .98 1.13	1.08 .92 1.04	1.22 1.18 1.21	1.15 1.05 1.13	1.07 1.05 1.06	1.17 1.17 1.17	1.16 1.07 1.14	1.15 1.07 1.13	1.12 1.08 1.11	1.15 .94 1.06	1.06 1.19 1.07	1.08 1.03 1.07	1.13 1.06 1.11
Trucks and combinations: Single-unit trucks. Truck combinations. All trucks and combinations.	.83 .92 .85	1.01 1.00 1.01	1.04 .94 1.01	1.00 .96 .99	1.00 1.00 1.00	.98 1.05 1.00	.97 1.04 .99	1.08 1.10 1.09	1.01 1.03 1.02	.99 .92 .97	1.21 1.10 1.17	1.10 1.04 1.08	1.02 1.01 1.02
Busses	1.09	1.22	1.00	1.08	.96	.95	.95	1.00	.97	.87	1.00	.95	1.00
All vehicles	1.07	1.04	1.16	1.10	1.05	1.11	1.10	1.12	1.09	1.04	1.09	1.07	1.0

<sup>1</sup> The ratios for "all vehicles" are based on year-around automatic recorder data, while those for the individual vehicle types are based principally on summer counts.

Table 3.—Percentage distribution of travel, by vehicle type, on main rural roads in the summer of 1951

•		Eastern	regions			Ce	ntral regio	ons		We	estern regi	ons	TT -11 -1
Vehicle type	New England	Middle Atlantic	South Atlantic	Aver- age	East North Central	East South Central	West North Central	West South Central	Aver- age	Moun- tain	Pacific	Aver- age	United States average
Passenger cars: Local Foreign All passenger cars	22.31	64.32 14.31 78.63	59.57 19.17 78.74	61.66 17.72 79.38	55.71 22.77 78.48	46.27 23.94 70.21	62.19 15.14 77.33	60.29 14.30 74.59	57.01 19.03 76.04	48.10 29.78 77.88	68.80 11.30 80.10	61.24 18.05 79.29	59.26 18.43 77.69
Single-unit trucks: Panel and pick-up. Other 2-axle, 4-tire. Other 2 axle, 6-tire. 3-axle. All single-unit trucks.	.80 5.83	4.81 1.06 7.21 .50 13.58	6.83 .52 6.42 .41 14.18	5.68 .77 6.65 .43 13.53	5.30 .29 6.06 .32 11.97	10.70 .41 10.64 .35 22.10	7.21 .61 8.07 .32 16.21	11 .10 .43 5.92 .16 17 .61	7.98 .42 7.15 .28 15.83	9.57 .63 5.67 .42 16.29	5.04 1.10 4.56 1.10 11.80	6.69 .93 4.97 .85 13.44	7.00 .62 6.62 .43 14.67
Truck-tractor and semitrailer combinations: 3-axle. 4-axle. 5-axle or more. All truck-tractor and semitrailer combinations.		5.11 1.70 .02 6.83	3.56 2.43 .01 6.00	4.15 1.87 .01 6.03	4.38 3.56 .21 8.15	5.01 1.22 .02 6.25	2.45 2.58 .43 5.46	3.76 2.86 .06 6.68	3.87 2.82 .20 6.89	1.58 1.18 1.33 4.09	1.09 1.06 2.99 5 14	1.27 1.10 2.39 4.76	3.52 2.22 .50 6.24
Truck and trailer combinations: 4-axle or less		.04	.01	.02	.15 .43 .09 .67	.01 .01	.27 .01 .01 .29	.25 (1)	.18 .16 .04 .38	.14 .46 .19 .79	.33 .88 .84 2.05	.26 .73 .60 1.59	.14 .21 .12 .47
All combinations	3.91	6.88	6 01	6.06	8.82	6.26	5.75	6.93	7.27	4.88	7.19	6.35	6.71
All trucks and truck combinations	14.98	20.46	20.19	19.59	20.79	28.36	21.96	24.54	23.10	21.17	18.99	19.79	21.3
Busses	1.24	.91	1.07	1.03	.73	1.43	.71	.87	.86	.95	.91	.92	.9
All vehicles	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.0

<sup>1</sup> Less than 0.005 percent.

t. ilns el

to

of

DS

1951. Available information indicates that travel on rural roads in 1952 will exceed the 1951 total by about 7 percent.

#### Travel Increases

The State system of highways in most States is composed of the main rural roads, or those on a connected system carrying the heaviest traffic. In such States as North Carolina, Pennsylvania, and Virginia, where all or a large part of the rural mileage is under State control, only the primary roads are included in this report as a part of the "main" system of highways of the country. These main roads, comprising

about 356,000 miles, include less than 12 percent of the total rural mileage but carry over 73 percent of the total rural traffic. Because of the greater importance of these highways, from a traffic standpoint, most of the current traffic data were collected at points on them, and the remainder of this report will be concerned only with information concerning this portion of the road mileage.

The ratio of traffic volumes on main rural roads in 1951 to corresponding volumes in the previous year is shown in table 2. Although travel in 1951 on the main highways was higher in every region than in 1950, and the general increase for the United

States as a whole was the same as in the previous year, the increase in travel of single-unit trucks, truck combinations, and foreign (out-of-State) passenger cars was considerably less than in the previous year and travel in these categories decreased in several regions. For instance, the table indicates that in 1951 travel by trucks was less in New England, East South Central, West North Central, and Mountain regions than in 1950 while truck combination traffic was less in New England, South Atlantic, and Mountain regions than in 1950. Likewise, travel by foreign passenger cars was less in the New England, Middle Atlantic, and Mountain regions while bus traffic in-




Figure 4.—Average weights of loaded and empty trucks and truck combinations in the summers of 1942-51 and a prewar year.

Table 4.—Average weight (in pounds) of loaded and empty trucks and truck combinations, by vehicle types, in the summer of 1951

		Eastern	regions			Ce	ntral regio	ons		We	estern regi	ons	
Vehicle type	New England	Middle Atlantic	South Atlantic	Aver- age	East North Central	East South Central	West North Central	West South Central	Aver- age	Moun- tain	Pacific	Aver- age	United States averag
		AVER	AGE WEIG	HTS OF I	CADED V	EHICLES		11					-
Single-unit trucks: Panel and pick-up. Other 2-axle, 4-tire. Other 2-axle, 6-tire. 3-axle. Average.  Truck combinations:	14,776 31,746 11,873	5,312 6,719 15,813 37,544 13,048	4,876 6,785 13,007 27,268 10,796	5,081 6,717 14,411 32,397 11,892	5,239 6,623 13,572 27,449 10,754	5,336 6,734 14,163 26,764 11,089	5,159 7,233 14,755 28,378 11,123	7,162 6,746 13,693 28,217 9,897	5,898 6,898 14,031 27,700 10,691	5,154 6,877 14,378 32,186 10,078	4,432 5,674 12,899 29,302 10,890	10,598	5,498 6,522 14,069 29,924 11,024
Truck-tractor and semitrailer. Truck and trailer. Average.	(1) (1) 40,199	42,705 (1) 42,810	39,128 (¹) 39,005	40,771 53,856 40,814	39,730 66,785 41,315	35 ,052 (1) 35 ,061	41,548 32,343 41,115	39 ,135 59 ,364 39 ,912	39 ,399 58 ,778 40 ,143	46 ,153 65 ,143 48 ,785	50,656 57,397 52,297	58,601	41,373 58,599 42,501
Average, all trucks and combinations	21 ,014	24 ,572	22,060	23 ,062	25 ,821	18,190	20 ,469	20 ,955	22 ,254	22 ,151	29 ,213	26 ,992	23 ,376
		Aver	IAGE WEI	GHTS OF	EMPTY VI	HICLES							
Single-unit trucks: Panel and pick-up. Other 2-axle, 4-tire. Other 2-axle, 6-tire 3-axle. Average.	8 ,858 14 ,707	4,109 4,652 8,865 17,174 6,738	3 ,822 5 ,309 7 ,359 13 ,705 5 ,276	3,927 4,894 8,160 15,297 5,930	4,065 4,907 8,131 12,896 5,990	4,120 4,629 7,926 15,169 5,806	4 ,119 5 ,162 8 ,275 12 ,819 6 ,081	5,010 5,232 8,151 18,959 6,063	4,425 5,032 8,120 14,257 5,622	4,026 -5,223 8,031 16,696 5,442	3,861 4,523 8,292 16,231 6,080	3,959 4,770 8,153 16,356 5,730	4,210 4,924 8,137 15,187 5,937
Truck combinations: Truck-tractor and semitrailer. Truck and trailer. Average.	21 ,838 (1) 21 ,777	21 ,033 (¹) 21 ,037	19,423 (¹) 19,417	20,360 19,763 20,357	19,719 26,442 20,529	18,991 (1) 18,992	21 ,256 18 ,778 21 ,114	19,343 52,760 20,402	19,770 28,648 20,360	24 ,742 30 ,734 26 ,033	23 ,509 27 ,668 25 ,605	24 ,179 28 ,414 25 ,789	20 ,282 28 ,325 20 ,911
Average, all trucks and combinations	9,559	10,607	8,069	9,167	10,555	7,933	9,024	8,944	8,910	8,407	10,252	9,280	9,197

<sup>&</sup>lt;sup>1</sup> Data omitted because of insufficient sample.

creased in New England and Middle Atlantic, decreased in East North Central, East South Central, West North Central, and Mountain regions and remained about the same in other regions.

The increase in travel by all types of passenger vehicles amounted to 11 percent compared to only 2 percent for freight-carrying vehicles. This small increase in truck and truck combination traffic is particularly noteworthy when it is noted that

there was an extremely large increase in that traffic in 1950 compared to the previous year. The increase in travel by passenger cars was 7 percent while the increase in travel by all types of freight-carrying vehicles amounted to 18 percent, the increase being 12 percent for single-unit trucks and 33 percent for truck combinations. Thus the 1951 figures show that the extremely rapid rate of increase in truck traffic which occurred from 1949 to 1950 was not con-

tinued into 1951. However, such data as are available for 1952 indicate that this leveling off may have been temporary, and that truck traffic may again be increasing faster than passenger car traffic.<sup>5</sup>

The percentage of travel by vehicle types on main rural roads in 1951 is given in table

<sup>&</sup>lt;sup>5</sup> Preliminary data from Alabama, Connecticut, Delaware, Maine, Missouri, Nevada, North Carolina, Oregon, and Vermont show a 13 percent increase in travel by trucks and combinations in 1952 compared to 1951.




Figure 5.—Travel on main rural roads, 1936-51, by loaded and by empty trucks and truck combinations.

Figi

divi

the truck to to to bina thes anni over group

more

tive

gret

Table 5.—Comparison of estimated vehicle-miles of travel on main rural roads in 1936, made by vehicle types between the old and 1941, 1946, 1950, and 1951

		Passenger	cars and		and truck	Single-un	it trucks	Truck con	nbinations
Year	All vehicles, vehicle- miles	Percent- age of all vehicles	Vehicle- miles	Percent- age of all vehicles	Vehicle- miles	Percentage of all trucks and truck combinations	Vehicle- miles	Percentage of all trucks and truck combinations	Vehicle- miles
1936 1941 1941:1936 ratio. 1946:1941 ratio. 1946:1936 ratio. 1950:1951 1951:1950 ratio. 1951:1941 ratio. 1951:1941 ratio.	Millions 88,412 122,505 1.39 124,149 1.01 1.40 174,349 189,651 1.09 1.55 £.15	82.6 80.3 .97 80.4 1.00 .97 77.2 78.6 1.02 .98 .95	Millions 73,005 98,320 1,35 99,803 1.02 1.37 134,528 149,110 1.11 1.52 2.04	17.4 19.7 1.13 19.6 .99 1.13 22.8 21.4 .94 1.09 1.23	Millions 15,407 24,185 1.57 24,346 1.01 1.58 39,821 40,541 1.08 1.68 2.63	82.1 78.8 .96 73.3 .93 .89 68.4 68.6 1.00 .87	Millions 12,650 19,057 1,51 17,838 .94 1,41 27,256 27,810 1.02 1.46 2.20	17.9 21.2 1.18 26.7 1.26 1.49 31.6 31.4 .99 1.48 1.75	Millions 2,757 5,128 1.86 6,508 1.27 2.36 12,565 12,731 1.01 2.48 4.62

Percentages of total 1951 travel by passenger cars and by busses are reported separately in table 3.




Figure 6.—Average load carried by trucks and truck combinations on main rural roads, 1936-51.

at

er

le

ut.

3. In this table all single-unit trucks are divided into classification types based on the axle and tire arrangements, while the truck combinations are classified according to the total number of axles of the combination. The classification of vehicles into these types has been used in the last five annual surveys. It has several advantages over the original "light, medium, and heavy" grouping, particularly in that it provides more homogeneous groupings and more positive identification of the types. It is regrettable that no direct comparison can be

made by vehicle types between the old and the new classifications, or between data collected in 1946 and earlier years with such data collected in 1947 and thereafter, but the convenience and advantages of the new system outweigh the disadvantages caused by the change.

The data in table 3 indicate that truck and truck combination travel in 1951 was more than 20 percent of the total travel in all but the New England and Pacific regions. It was between 20 and 25 percent in all remaining regions except the East South Central region where it was over 28 percent.

A comparison with the same table in the 1950 report shows that the proportion of trucks was lower in 1951 than in 1950 in every region except the Pacific region where the proportion of freight-carrying vehicles increased slightly.

Table 3 indicates also that the usage of certain types of freight-carrying vehicles varies in different sections. For instance, the truck and trailer combinations with six or more axles and the truck-tractor and semitrailer with five or more axles are used far more frequently in the Pacific region than in any other area. Truck and trailer combinations are used much less in the East South Central region and in the three eastern regions than in other sections. The percentage of combination-type vehicles, nation-wide, was 6.71 percent, a slight decrease from the 1950 figure of 7.21 percent but exceeding the percentage figures of 5.95 in 1949, 5.84 in 1948, 5.73 in 1947, and 5.26 in 1946.

The average weights of loaded and empty trucks and truck combinations, separately and combined, are shown graphically in figure 4 for each year from 1942 to 1951, inclusive, and for a prewar year, generally 1936 or 1937. The weights of single-unit trucks, both loaded and empty, increased each year from the 1936–37 period through 1945, then decreased slightly and leveled off around 11,000 pounds for loaded vehicles and slightly less than 6,000 pounds for empty vehicles. At the same time weights of truck combinations, both loaded and empty, have increased each year during the

Table 6.—Comparison of estimated percentage of trucks and truck combinations loaded, average carried load, and ton-miles carried on main rural roads in 1936, 1941, 1946, 1950, and 1951

		rucks and ombination		Sin	gle-unit tr	ucks	Truck combinations				
Year	Per- centage loaded	Average weight? of carried load	Ton- miles carried	Per- centage loaded	Average weight of carried load	Ton- miles carried	Per- centage loaded	Average weight of carried load	Ton- miles carried		
1936. 1941. 1941:1936 ratio 1946:1941 ratio. 1946:1936 ratio. 1950. 1951. 1951:1950 ratio. 1951:1941 ratio. 1951:1936 ratio.	1.06 51.7 .78 .82 53.9 55.1	Tons 2.90 3.64 1.26 4.84 1.33 1.67 5.64 5.66 1.00 1.55 1.95	Millions 28,005 58,737 2,10 60,892 1,04 2,17 121,091 126,402 1,04 2,15 4,51	60.7 65.4 1.08 46.4 .71 .76 47.2 48.8 1.03 .75	Tons 1.86 2.29 1.23 2.31 1.01 1.24 2.31 2.31 1.00 1.01 1.24	Millions 14,258 28,487 2.00 19,101 .67 1.34 29,645 31,396 1.06 1.10 2.20	72.2 71.6 .99 66.2 .92 .92 68.5 68.9 1.01 .96	Tons 6.90 8.23 1.19 9.70 1.18 1.41 10.62 10.83 1.02 1.32 1.57	Million 13,747 30,250 2,20 41,791 1,38 3,04 91,446 95,006 1,04 3,14 6,91		




Figure 7.—Ton-miles carried by trucks and truck combinations on main rural roads, 1936-51.

period shown. The increase in average weight of loaded combinations from the 1936-37 period to 1951 was over 58 percent, compared to 12 percent for single-unit trucks.

The increase for all loaded trucks and truck combinations combined was slightly more than 80 percent. It will be noted that the average weight of the loaded singleunit trucks was somewhat less than twice the average weight of the empty vehicles of this type, while the average weight of the loaded combinations was just about twice the average weight of the empty combinations. In the case of the vehicles of both types combined, the loaded vehicles included a higher proportion of combinations than the empty vehicles, since combinations are more often loaded and the average weight of the loaded trucks and combinations was therefore considerably more than twice the average weight of the empty vehicles of both types.

The average weights of the various types of loaded and empty trucks and truck combinations in the summer of 1951 are shown in table 4 for the different regions. This

table brings out clearly the important differences that exist in the weight characteristics of the vehicles in the different groups. It will be noted, for example, that for the United States as a whole, the loaded three-axle, single-unit trucks weighed a little more than twice as much as the twoaxle, six-tire trucks. The latter, in turn, weighed a little more than twice as much as the two-axle, four-tire trucks. Similar differences existed throughout the various classifications. On the other hand, the regional differences in average weight for each of the vehicle types that are common throughout the country are surprisingly small. The rather low weights of truck and trailer combinations in certain sections of the country, particularly the West North Central region, indicate a predominance of small home-made trailers of low capacity.

Seasonal loadometer data for 1952 and a corresponding period in 1951, received from 9 States as previously referred to, indicate that in 1952 the loaded single-unit trucks were about 4 percent lighter, and the empty trucks about 8 percent lighter, on the average, than in 1951. The loaded tractor-semitrailer combinations were less than 1 percent heavier than in 1951 and the empty combinations about 3 percent heavier. These data indicated no change in the percentage of loaded single-unit trucks, but an appreciable increase in the percentage of truck combinations loaded.

#### Truck Travel Increases

Figure 5 shows the estimated vehicle-mileage of travel by loaded and empty single-unit trucks and truck combinations, separately and combined, on main rural roads for each year 1936 to 1951, inclusive. This chart demonstrates graphically the steady growth of truck traffic during the prewar years 1936–41, the temporary effect of wartime restrictions in the period 1942–45, and the remarkable increases in truck transportation that have occurred since the end of hostilities in 1945.

Table 5 gives comparisons of the estimated vehicle-mileage of travel by vehicles of different types on all main rural roads

Table 7.—Percentage of vehicle-miles of travel, percentage loaded, average carried load, and percentage of total ton-miles carried by various types of trucks and truck combinations on main rural roads in 1951 compared to that in corresponding months of 1950

Vehicle type	hicle-n	ge of ve- niles of vel	Percei		Average los		Percer ton-mile	tage of
	1951	1950	1951	1950	1951	1950	1951	1950
Single-unit trucks: Panel and pick-up. Other 2-axle, 4-tire. Other 2-axle, 6-tire. 3-axle. All single-unit trucks.	2.90	31.35 2.79 32.63 1.68 68.45	39.0 54.6 58.0 60.9 48.8	37.4 52.4 55.9 58.3 47.2	Tons 0.70 .91 3.23 7.53 2.31	Tons 0.69 .93 3.20 7.23 2.31	2.86 .46 18.57 2.95 24.84	2.65 .45 19.06 2.32 24.48
Truck combinations: Truck-tractor and semitrailer. Truck and trailer. All truck combinations. All trucks and combinations.	29.22 2.18 31.40	29.43 2.12 31.55	69.2 65.0 68.9	68.9 62.3 68.5	10.48 15.48 10.83	10.32 15.32 10.62	67.96 7.20 75.16	68.87 6.65 75.52




Figure 8.—Number of heavy gross weights per 1,000 trucks and truck combinations (empties included) in the summers of 1942-51 and a prewar year.

Figure 7 shows for each year from 1936 through 1951, the ton-mileage of freight carried by trucks and truck-combinations on main rural roads. The chart demonstrates clearly that truck combinations are transporting each year a larger proportion of the total amount of highway freight. In 1936 the truck combinations hauled slightly less ton-mileage than the single-unit trucks, while in 1950 they hauled more than triple the amount transported by the larger number of lighter vehicles. The rapid rate of annual increase in total freight carried, which took place in 1946 and 1947, was reduced somewhat in 1948 and 1949 to a rate more nearly comparable with that of prewar years. In 1950, however, there was a startling increase in freight ton-mileage somewhat similar to a rise that occurred in 1941. In 1951 the rate of increase was again reduced to one closely comparable with the prewar trend.

In table 6 are shown comparisons of the percentage of vehicles carrying loads, the average carried load, and the ton-mileage carried for single-unit trucks and for truck combinations, separately and combined, in 1951 with corresponding items for other years as in table 5. The trend from 1936 to 1951 of average weight carried, shown graphically in figure 6, and that of the ton-mileage transported during the same period, shown in figure 7, has already been discussed.

The percentage of trucks and truck combinations carrying loads increased notice-

in 1936, the earliest year for which comprehensive travel and weight data are available; in 1941, the peak prewar year, 5 years after the beginning of the surveys; in 1946, 10 years after the beginning of the surveys; and in 1950 and 1951 which completes 16 full years of estimates. The ratios of 1951 travel to that of the preceding years indicate that increases for trucks and truck combinations generally were greater than for passenger cars and busses, and that increases for truck combinations were greater than for single-unit trucks. In the 15 years from 1936 to 1951, passenger-car and bus travel combined increased 104 percent, travel by all trucks and combinations increased 163 percent, and travel by truck combinations (considered separately) more than quadrupled, increasing 362 percent.

S

3.

r

n

y

d

of

h

y.

nd

ed

n-

it

nd

er.

ed

ess

er.

er-

out

ge

ele-

pty

ns.

ral

ive.

the

the

fect

42-

nek

the

sti

cles

ads

oad.

nths

rrie

950

DADS

#### Volume of Highway Freight

Figure 6 gives a comparison of the average load carried by single-unit trucks and truck combinations, separately and combined, in the 16 years that the planning surveys have been operating. The general trend of load weights was upward throughout the period. The slight decline in the weights of loads carried by single-unit trucks since 1945 has been more than offset by the increased use of combinations and the increased weights of loads carried by vehicles of this type.




Figure 9.—Number of heavy axle loads per 1,000 trucks and truck combinations (empties included) in the summers of 1942-51 and a prewar year.

Table 8.—Heavy gross weights per 1,000 loaded and empty trucks and truck combinations on main rural roads, summer of 1951

		Eastern	regions			Ce	ntral regio	ns	-	We	stern reg	ions	
Vehicle type	New England	Middle Allantic	South Atlantic	Average	East North Central	East South Central	West North Central	West South Central	Average	Moun- tain	Pacific	Average	United States averag
	Nu	MBER PER	1,000 W	EIGHING 3	30,000 Po	UNDS OR	MORE						
Single-unit trucks: 2-axle, 6-tire. 3-axle. Average.	295	26 522 33	1 246 8	13 374 18	0 232 6	220 4	(1) 325 6	339 5	269 5	5 356 11	319 30	3 325 22	323 12
Truck-combinations: Truck-tractor and semitrailer. Truck and trailer. Average.	(2)	631 (2) 631	533 (2) 532	577 516 576	586 679 594	481 (2) 481	600 317 586	511 (³) 493	557 506 554	645 818 673	712 717 713	691 735 702	580 637 584
Average, all trucks and combinations.  Comparative average, 1950.  Comparative average, 1949.	. 137	234 221 191	164 177 130	191 189 153	255 251 208	109 102 87	158 142 139	143 146 107	178 170 144	164 160 118	289 289 176	240 233 147	192 187 148
	Nu	MBER PER	1,000 W	EIGHING 4	10,000 Po	UNDS OR	More						
Single-unit trucks: 2-axle, 6-tire. 3-axle Average.	. 132	292 13	0 74 2		0 46 1	(¹) 31 1	0 30 1	0 89 1	(¹) 45 1	119 3	0 52 5	0 64 4	96 3
Truck combinations: Truck-tractor and semitrailer. Truck and trailer. Average.	. (2)	425 (2) 427	325 (²) 325	371 516 372	345 552 361	182	381 216 373	310 (²) 300	322 403 326	415 551 437	560 564 561	515 561 526	363 496 372
Average, all trucks and combinations.  Comparative average, 1950.  Comparative average, 1949.	. 78	152 135 120	98 95 71		154 140 105	41 45 36	98 82 77	85 79 54	103 95 73	103 106 75	216 214 121	172 167 97	119 110 82
	Nu	MBER PEI	1,000 W	EIGHING	50,000 Po	UNDS OR	More						
Single-unit trucks: 2-axle, 6-tire	. 29	2 49 3	0 0	25	0 9	(1) O	0 0	0 3		0 69 2	0 0 0	0 13 1	(¹) 14
Truck combinations: Truck-tractor and semitrailer. Truck and trailer. Average.	(3)	207 (3) 210	123 (2) 123	452	179 510 204	25 (2) 25	205 208 205	124 (²) 120	150 374 162	296 506 330	464 482 469	411 486 430	187 440 204
Average, all trucks and combinations.  Comparative average, 1950.  Comparative average, 1949.	. 24	72 63 52	36 28 21	41	87 78 48	6 7 6	54 44 32	34 34 18	51 47 29	78 76 51	178 176 99	138 133 75	64 58 36

1 Less than 5 per 10,000. 2 Data omitted because of insufficient sample.

ably from 1950 to 1951 in all regions except the New England region where a slight decrease of this factor was found. In the country as a whole, the percentage loaded increased from 53.9 percent in 1950 to 55.1 percent in 1951. Both for single-unit trucks and for truck combinations, the percentage loaded was higher in 1951 than in 1950 or any year since 1945. However, the loaded proportion continued to be considerably less for the single-unit vehicles and slightly less for the truck combinations than in the prewar surveys.

Table 7 gives a detailed comparison of the percentage of vehicle-miles of travel, percentage of vehicles loaded, average carried load, and percentage of total ton-miles of freight carried by the various types of trucks and truck combinations traveling on main roads in 1950 and 1951. Many interesting comparisons can be made from this table showing the relative importance from a freight-carrying standpoint of different portions of the traffic stream. In 1951, for instance, while panel and pick-up trucks traveled almost 33 percent of the vehicle-mileage, they accounted for less than 3 percent of the ton-mileage. The trucktractor and semitrailers, on the other hand, traveled about 29 percent of the vehiclemileage but carried almost 68 percent of the ton-mileage.

From the column in table 7, showing percentage loaded by types, it can be observed that the percentage of vehicles carrying loads tends to increase directly as the size of the vehicle type, extending from light panel and pick-up trucks that are loaded 39 percent of the time to the heavy combinations that are loaded about 69 percent of the time.

#### Gross Weights Increase

Figure 8 shows by years, from the prewar years (generally 1936 or 1937) to 1951, for the United States as a whole, the frequency of gross weights of 30,000 pounds or more, of 40,000 pounds or more, and 50,000 pounds or more. The chart shows strikingly how the frequency of heavy loads has increased year after year, reaching amounts in 1951 considerably above any previous level. In this upward climb the 1951 frequencies surpassed even the astonishing maximum levels established for each weight group in the previous year. For instance, the frequency of the loads of 30,000 pounds or more was 3 percent higher than in 1950 and 30 percent higher than in 1949. The loads of 40,000 pounds or more was 8 percent higher than in 1950 and 45 percent higher than in 1949. The increase in loads of 50,000 pounds or more, however, was even more startling, the frequency being 10 percent above the 1950 figure and almost 78 percent above the 1949 figure. The 30,000-pound loads were over 4 times as frequent as in the prewar year; loads of 40,000 pounds or more were 11 times as frequent; while those of 50,000 pounds or more were almost 22 times as frequent as in the 1936-37 period.

The 1951 gross-weight frequency data by vehicle type and region are presented in table 8. No panels, pick-ups, or other twoaxle, four-tire, single-unit trucks were found in the survey weighing as much as 30,000 pounds, so there is no entry for these vehicles in the table, though they are included in the total number of vehicles weighed in computing the frequencies for all trucks and combinations. Heavy gross weights are much more frequent in the Pacific region

Table 9.—Heavy axle loads per 1,000 loaded and empty trucks and truck combinations on main rural roads, summer of 1951

P		Eastern	regions			Ce	ntral regio	ons		We	stern regio	ons	
Vehicle type	New England	Middle Atlantic	South Atlantic	Aver- age	East North Central	East South Central	West North Central	West South Central	Aver- age	Moun- tain	Pacific	Aver- age	United States average
	Nus	ABER PER	1,000 WE	eighing 1	8,000 Pot	INDS OR I	More						
Single-unit trucks: 2-axle, 6-tire	172	67 332 48	21 58 11	43 191 27	15 10 8	22 53 11	20 40 11	23 64 8	19 33 9	31 189 16	21 29 11	25 58 13	28 94 15
Truck combinations: Truck-tractor and semitrailer Truck and trailer. Average.	(1)	523 (1) 522	278 (1) 278	405 339 405	180 397 197	166 (1) 166	168 242 171	197 (¹) 190	180 303 187	186 191 187	106 84 99	131 104 124	246 189 242
Average, all trucks and combinations.  Comparative average, 1950.  Comparative average, 1949	137	207 208 195	90 100 99	144 147 140	88 98 89	46 63 50	53 45 50	60 67 51	65 72 63	55 83 57	44 69 37	49 75 48	86 96 86
	Nu	MBER PER	1,000 Wi	eighing 2	0,000 Pot	INDS OR	More						
Single-unit trucks: 2-axle, 6-tire. 3-axle. Average.	. 104	49 157 32	7 2 3	27 81 16	4 10 2	6 0 3	4 0 2	12 10 4	6 6 3	12 123 7	3 0 1	6 22 4	13 37 7
Truck combinations: Truck-tractor and semitrailer Truck and trailer. Average.	(1)	322 (1) 320	110 (¹) 109	221 85 220	35 26 34	(1) 39	43 13 42	(1) 64	45 19 43	56 11 49	12 15 13	26 14 23	99 17 93
Average, all trucks and combinations.  Comparative average, 1950.  Comparative average, 1949.	. 82	129 131 118	35 38 46	79 80 78	16 22 27	11 19 18	12 12 12	21 23 18	16 19 20	17 35 26	5 16 6	10 24 16	34 39 38
	No	MBER PER	1,000 W	EIGHING 2	22,000 Po	UNDS OR	More						
Single-unit trucks: 2-axle, 6-tire	. 33	31 76 19	3 0 1	16 37 9	10 1	2 0 1	1 0 1	4 0 1	2 4 1	4 43 3	1 0	2 8 1	16
Truck combinations: Truck-tractor and semitrailer. Truck and trailer. Average.	. (1)	182 (¹) 180	(1) 31	107 (¹) 107	10 11 10	(1) 9	10 0 10	(1) 10	10 7 10	14 1 12	5 2 4	7 2 6	31
Average, all trucks and combinations	. 39	73 80 65	10 13 18	39 42 39	5 7 9	3 5 5	3 3 3	9 6	4 6 6	5 16 11	2 3 2	3 9 6	14 18 17

Data omitted because of insufficient sample.
 Less than 5 per 10.000.

than in other parts of the country. In this region 178 of each 1,000 trucks and truck combinations on the main rural highways in 1951, empties included, weighed 50,000 pounds or more and 289 of each 1,000 weighed 30,000 pounds or more. In the East North Central region, 255 of each 1.000 trucks and truck combinations weighed 30,000 pounds or more, almost as many as in the Pacific region, but only 87 of each 1,000 vehicles weighed 50,000 pounds or more, a frequency less than half of that in the Pacific region for this heavy class of vehicle. The lowest frequency of heavy gross loads was found in the East South Central region where only 6 of each 1,000 weighed 50,000 pounds or more, and only 109 of each 1,000 weighed 30,000 pounds or more.

As was pointed out in the discussion of figure 8, the frequencies of heavy gross loads have increased noticeably in the Nation as a whole. This increase is not limited to any certain area but is distributed throughout the entire country. Comparing the frequencies of gross weights in 1951 with those in the previous year, slight decreases were found in the frequencies of gross weights of 30,000 pounds or more in the South Atlantic region and in the West South Central region; in the frequency of gross weights of 40,000 pounds or more in the East South Central and in the Mountain regions; and in the frequency of gross weights of 50,000 pounds or more in the East South Central region. The frequency of gross weights, 50,000 pounds or more, in the West South Central region did not change nor did the frequency of gross weights of 30,000 pounds or more in the Pacific region. The largest increases were found in the New England region where the frequency of loads of 30,000 pounds or more increased from 137 per 1,000 vehicles in 1950 to 153 in 1951. Also in that region, loads of 40,000 pounds or more increased from 78 in 1950 to 95 in 1951, and those of 50,000 pounds or more increased from 24 in 1950 to 31 in 1951 for each 1.000 vehicles.

Seasonal data collected in 1952 and in a corresponding period in 1951 from the 9 States previously listed, indicate that the frequency of the heavier loads is higher in 1952 than in 1951. This increase is particularly noticeable in the frequency of vehicles weighing 50,000 pounds or more which, in the sample received, were 20 percent more frequent in 1952 than in the earlier year. On the other hand, vehicles weighing 40,000 pounds or more were only slightly more frequent in 1952, while the frequency of those weighing 30,000 pounds or more had not changed appreciably.

#### Frequency of Heavy Axle Loads

Figure 9 shows the frequency of axle loads of 18,000 pounds or more, 20,000 pounds or more, and of 22,000 pounds or more for the prewar years (1936-37) and by years from 1942 to 1951. The frequency of these heavy axle loads increased year by year from the prewar period through 1948. Since 1948, however, the trend apparently has been reversed for, with the exception of 1950, the data seem to indicate a downward trend or at least a leveling off. Such a leveling off in the frequency of the heavier axle loads, though heavy gross loads have increased in the past year, may indicate that more attention is being given to proper load distribution, due perhaps to better enforcement of legal limits.

-Number of trucks and truck combinations, per 1,000 loaded and empty vehicles, that exceeded the permissible axle, axle-group, or gross-weight legal limits in effect in the

States by various percentages (maximum) of overload, summer of 1951 Number per 1,000 overloaded more than— Numper 1,000 Region and type of vehicle 50 over-loaded 10 20 30 per-cent perper-cent New England:

2-axle, 6-tire

3-axle

Average, single-unit trucks

Truck-tractor and semitrailer

Truck and trailer

Average, all trucks and combinations

Middle Atlantic:

2-axle, 6-tire

3-axle

Average, single-unit trucks

Truck-tractor and semitrailer

Truck and trailer

Average, truck combinations

South Atlantic:

2-axle, 6-tire

3-axle

Average, single-unit trucks

Truck-tractor and semitrailer

Truck and trailer

Average, single-unit trucks

Truck-tractor and against trucks

Truck-tractor and against trucks (1) 2 1 4  $\frac{13}{72}$ 53 5 46 65 7 73 15 (1) 1 9 114 16 16 6 4 2 73 24 46 16 (4)

50 16

7 18

 $\frac{4}{42}$ 

42

12

 $^{14}_{17}_{5}_{78}$ 

75 25

2

4 1

2 16

16

(')<sub>6</sub>

6 2

(1)

(1)

1 3 1 4 (1) (1)

4 2 (1) (1)

(1)

(1) 11

10

5 3

13

13

1

(1) (1)

(1) (1)

18

18

1

15853

15 5

 $\frac{1}{23}$ 

22 7

32

31 11

1

(¹) 5 7

6 2

20 7 19

7 11 10

1 2 2

(1)

(1) (1)

(1) (1) (1)

3

3

1 2

2

(1) 12 (1) 2

(1)

(1) 1

(1) 1

(1) (1) 1 1

6 13

 $\frac{3}{71}$ 

71 23

 $\frac{3}{19}$ 

 $\frac{10}{37}$   $\frac{5}{79}$ 

 $\frac{79}{21}$ 

21

 $\begin{array}{r}
 3 \\
 118 \\
 56 \\
 115 \\
 32
 \end{array}$ 

19 33

121

117 38

187 22 175

101

132

59

 $\frac{8}{129}$ 

35

201

 $\frac{79}{195}$ 

170 54

182 51

 $\frac{6}{37}$ 

84 36

15 71 9

1 Less than 5 per 10,000.

2-axle, 6-tire....

2-axle, 6-tire
3-axle
Average, single-unit trucks
Truck-tractor and semitrailer
Truck and trailer
Average, all trucks and combinations.
Average, all trucks and combinations.
East North Central:
2-axle, 6-tire
3-axle
Average, single-unit trucks
Truck-tractor and semitrailer
Truck and trailer
Average, all trucks and combinations.
Average, all trucks and combinations.
Average, all trucks and combinations.
Truck-tractor and semitrailer
Truck and trailer
Average, single-unit trucks
Truck-tractor and semitrailer
Average, all trucks and combinations.
Average, all trucks and combinations.
West North Central:
2-axle, 6-tire
3-axle
Average, single-unit trucks
Truck-tractor and semitrailer
Truck-tractor and semitrailer

3-axle.
Average, single-unit trucks.
Truck-tractor and semitrailer.
Truck and trailer.
Average, truck combinations.
Average, all trucks and combinations.
West South Central:

3-axle.
Average, single-unit trucks.
Truck-tractor and semitrailer.
Truck and trailer.
Average, truck combinations.
Average, all trucks and combinations.

3-axle
Average, single-unit trucks.
Truck-tractor and semitrailer
Truck and trailer
Average, truck combinations.
Average, all trucks and combinations

3-axle.
Average, single-unit trucks.
Truck-tractor and semitrailer.
Truck and trailer.
Average, truck combinations.
Average, all trucks and combinations.
United States average:
2-ayle fatire.

3-axie.
Average, single-unit trucks.
Truck-tractor and semitrailer.
Truck and trailer
Average, truck combinations.
Average, all trucks and combinations.
Comparative average, 1950.
Comparative average, 1949.

2-axle, 6-tire....

in figuring the frequencies for all trucks

Table 9 gives data concerning the number of heavy axle loads per 1,000 loaded and and truck combinations. empty trucks and truck combinations of Though the greatest frequency of heavy. various types on the main rural roads by gross weights was in the Pacific region, regions in 1951. Since no panel or pick-up as shown in table 8, the lowest frequency trucks were found with axles weighing 18,of heavy axle loads was in that region. 000 pounds or more there is no entry for Frequencies almost as low were found in these in the table though they are included the West North Central and the East South

Central regions. In the Pacific region, only 2 axles of 22,000 pounds or more were found in 1951 for each 1,000 vehicles while in each of the two Central regions mentioned, only 3 such axles were found for each 1,000 vehicles weighed. By far the greatest frequency of heavy axle loads was in the Middle Atlantic region and the next

Table 11.—Number of trucks and truck combinations, per 1,000 loaded and empty vehicles, that exceeded any of the permissible load limits recommended by the A.A.S.H.O. by various percentages (maximum) of overload in the summer

Tal

N

M

So

E

E

W

W

M

Pi

U

reg

trik

two

que

in

hea

trik

of

PU

	Num- ber per	Numl	per per mo	1,000 or ore than		ed
Region and type of vehicle	1,000 over- loaded	5 per- cent	10 per- cent	20 per- cent	30 per- cent	50 per- cent
New England: 2-axle, 6-tire	43	35	20	10	10	
3-axle	89	76	29 58	18 33	10 17	10
Average, single-unit trucks Truck-tractor and semitraile	25 269	21 232	17	10	6	9
Truck and trailer			194	112	48	
Average, truck combinations Average, all trucks and combinations.	268 88	231 76	104	112 37	48	9
Middle Atlantic:	00	10	63	01	17	4
2-axle, 6-tine	55 243	52 201	141	31 38	19 13	7
Average, single-unit trucks	38	35	30	18	11	4
Truck-tractor and semitrailer Truck and trailer	302 342	255 191	203 130	125	71	16
Average, truck combinations	302	255	202	124	70	16
Average, all trucks and combinations.	127	109	88	54	31	8
2-axle, 6-tire	16	13	8	2	(1)	
3-axle	83	54	30	4	(1)	
Truck-tractor and semitrailer	180	133	94	37	10	1
Truck and trailer	180	133	94	37	10	1
Average, truck combinations	61	44	31	12	3	(1)
East North Central: 2-axle, 6-tire	10	5	3	2		
3-axle	19	6				
Average, single-unit trucks Truck-tractor and semitrailer	211	136	72	15	5	1
Truck and trailer	406	374	308	171	33	4
Average, truck combinations	226 99	154 67	90 39	27 12	7 3	(1)
Truck and trailer. Average, truck combinations. Average, all trucks and combinations. East South Central:						
2-axle, b-tire	15	10 30	7 12	3	1	(1)
3-axle	8	5	4	1	(1)	(1) (1)
Truck-tractor and semitrailer Truck and trailer	113	70	34	12	3	(1)
Average, truck combinations.  Average, all trucks and combinations.	113	70	34	12	3	(1) (1)
Average, all trucks and combinations. West North Central:	31	19	11	3	1	(1)
2-axle, 6-tire	11	6	4	1	(1)	
Average, single-unit trucks	38	8	5 2	3	(1)	
Truck-tractor and semitrailer	173	106	63	18	8	2
Truck and trailer	58 167	56 103	19 61	17	8	2
Average, all trucks and combinations.	48	29	17	5	2	1
West South Central: 2-axle, 6-tire	24	19	15	8	5	3
3-axle	72	33	25	17	8	
Average, single-unit trucks Truck-tractor and semitrailer	165	113	68	27	11	1
Truck and trailer	150					
Average, truck combinations  Average, all trucks and combinations.	159 51	109	66	26 9	11 5	1
Mountain:						(1)
2-axle, 6-tire	137	15	74	56	38	12
Average, single-unit trucks Truck-tractor and semitrailer	12 199	8 149	103	3	2	(1)
Truck and trailer	314	211	123	46 29	13	
Average, truck combinations  Average, all trucks and combinations.	218	159 43	106 28	43 12	11	(1)
Pacific:			1	12	4	(.)
2-axle, 6-tire	6 41	18	2 2	1	1	
3-axle	6	3	1	(1)	(1)	
Truck-tractor and semitrailer	154 278	112 173	71 85	18	5 3	(1)
Truck and trailer	189	129	75	16	4	(1)
Average, all trucks and combinations. United States average:	75	51	29	6	2	(1)
2-axle, 6-tire	21	17	13	7	4	1
3-axle	83	57	35	12	5 2	(1)
Truck-tractor and semitrailer	198	142	94	40	17	3
Truck and trailer	282 204	211 147	139	54	10	3
Average, all trucks and combinations.	72	52	97 35	16	17	1
Comparative average, 1950	. 91	68 53	46 38	21 19	10	3
Comparative average, 1949	69	03	08	19	10	1 4

Less than 5 per 10,009.

Table 12.—Number of trucks and truck combinations, per 1,000 loaded and empty vehicles, that exceeded the permissible axle-group loads recommended by the A.A.S.H.O. by various percentages of overload in the summer of 1951

	Num- ber	Numbe	er per 1,00	0 overload	ded more	than—
Region and type of vehicle	per 1,000 over- loaded	5 percent	10 percent	20 percent	30 percent	50 percen
Yew England:						
2-axle, 6-tire	(1)					
3-axle	75	60	49	27	(1)	
Average, single-unit trucks.  Truck-tractor and semitrailer.	64	40	26	1 7	( ) 2	1
Truck and trailer						
Average, truck combinations	64	40	26	7	2	1
Average, all trucks and combinations	18	12	8	3	1	(1)
Middle Atlantic: 2-axle, 6-tire	4	3	3	1	1	
3-axle	232	186	141	35	13	
Average, single-unit trucks	11	8	7	2	1	
Truck-tractor and semitrailer	134	105	72	29	19	4
Truck and trailer	260 135	105	62 72	7 29	19	4
Average, truck combinations. Average, all trucks and combinations.	53	41	29	11	7	i
outh Atlantic:	00		-			1
2-axle, 6-tire	(1)	(1)	(1)			
3-axle	67	40	25	1		
Average, single-unit trucks.  Truck-tractor and semitrailer.	68	48	34	(1)	4	(1)
Truck and trailer		40	94	10	4	(-)
Average, truck combinations. Average, all trucks and combinations.	68	48	34	16	4	(1)
Average, all trucks and combinations	22	15	11	5	1	(1)
East North Central:						
2-axle, 6-tire	9	3				
Average, single-unit trucks	(1)	(1)				
Truck-tractor and semitrailer	137	84	45	7	2	(1)
Truck and trailer	384	359	294	164	33	1
Average, truck combinations Average, all trucks and combinations	156	105	64	19	4	(3)
Average, all trucks and combinations East South Central:	66	45	27	8	2	(1)
2-axle, 6-tire	(1)	(1)	(1)	(1)	(1)	
3-axle	10	10	6			
Average, single-unit trucks	(1)	(1)	(1)	(1)	(1)	
Truck-tractor and semitrailer	11	6	2	1	(1)	
Truck and trailer	11		2		(1)	
Average, truck combinations. Average, all trucks and combinations. West North Central:	11 2	6	(1)	(1)	(1)	
West North Central:	-	-	1 ''	1 "	1	1
2-axle, 6-tire						
3-axle	27	5	5	3		
Truck-tractor and semitrailer	116	(1)	(1)	(1)	4	
Truck and trailer	58	19	12	1		
Average truck combinations	1 112	71	41	11	4	
Average, all trucks and combinations.  West South Central:	30	19	11	3	1	(1)
West South Central:	(2)					
2-axle, 6-tire. 3-axle.		25	25	17	8	
Average, single-unit trucks	(1)	(1)	(1)	(1)	(1)	(1)
Truck-tractor and semitrailer	84	56	29	9	5	1 "
Truck and trailer	1					
Average, truck combinations Average, all trucks and combinations.	81	54	28	9	5	(1)
Average, all trucks and combinations	. 23	15	8	3	1	(1)
2-axle, 6-tire						
3-axle	130	103	74	53	25	
3-axle	3	3	2	1	1	
Truck-tractor and semitrailer			87	39	11	
Truck and trailer	254 168		114	25 37	10	
Average, truck combinations. Average, all trucks and combinations.	41	32		9	3	
Pacific:		1	1	1		1 ''
2-axle, 6-tire						
3-axle	. 35					
Average, single-unit trucks			(1)	17	5	(1)
Truck and trailer				7	1 3	
Average, truck combinations.  Average, all trucks and combinations.	174	122	70	14	4	(1)
Average, all trucks and combinations	. 68		27	5		(1)
United States average:		(1)	(1)	(1)	(1)	
2-axle, 6-tire	71	(1)	(1)	(1)	(1) 4	(1)
Average, single-unit trucks.			1	(1)	(1)	(1)
Truck-tractor and semitrailer	. 107	73	45	14	6	
Truck and trailer	. 256			50		
Average, truck combinations	117			16		(2)
Average, all trucks and combinations.	. 39		17 22	5		(1)
Comparative average, 1930	28	21				
			1 0.8			1

Less than 5 per 10.000.

only

vere

hile

nen-

for

the was next

ADS

greatest in New England. In these two regions the relatively high frequency is attributable mainly to the large number of two-axle truck-tractors pulling one-axle or two-axle semitrailers. The relative infrequency of heavy axles in the Pacific region, in the presence of a large proportion of heavy gross loads, indicates a better distribution of the loads over a larger number of axles.

Although the frequency of heavy gross loads has increased somewhat in all regions, as stated in connection with the discussion of table 8, the trend in frequency of heavy axle loads followed a different pattern. This is demonstrated by comparing the frequency of heavy axle loads in 1951 with those of 1950, as shown for each region in table 9, and noting that the frequency of heavy axle loads decreased in every region ex-

cept the New England and West North Central regions, whereas table 8 shows that the frequency of gross loads increased somewhat in most regions.

Seasonal information collected in 1952 and in a corresponding period in 1951, reported by the 9 States previously mentioned, indicates that the frequency of the heavier axle loads may generally be higher in 1952 than in the previous year. However, the data so far available are not sufficient to conclude that the leveling off in the trend of heavy axle load frequencies noted during the preceding few years is temporary only.

#### Loads Above Legal Limits

Table 10 shows the number of trucks and truck combinations of each type, per 1,000 such vehicles counted, empties included, that exceeded the legal axle, axle-group, or grossweight limits in effect in the individual States in the summer of 1951, and the number per 1,000 that exceeded these limits by various percentages. Comparative figures are given at the bottom of the table for the Nation as a whole, for 1949 and 1950. It shows that, on the whole, there was much better compliance with legal limitations in 1951 than in 1950 and somewhat better than in 1949. Only three-quarters as many vehicles were overloaded in 1951 as in the previous year, and only two-thirds as many exceeded the State weight limits by 20 percent or more.

Loads in excess of State law were, in 1951, most frequent in the Middle Atlantic States, although even in this region, compared to that of 1950, a slight reduction in the frequency of overloaded vehicles was found. Slight increases in the frequency of overloaded vehicles were found in the New England and in the West North Central regions, but substantial decreases were recorded in all other areas. In the East South Central region, where in 1950 extraordinary conditions in one State caused the highest regional frequency (115 per 1,000) of overloading to be recorded, the 1951 data indicated a frequency of only 35 overloaded vehicles per 1,000 counted. This 1951 frequency in the East South Central region was next to the lowest figure recorded in that year, it being bettered only by the South Atlantic region with a frequency of only 34 excessively loaded vehicles for each 1,000. After the Middle Atlantic region where, of all loaded and empty trucks and truck combinations weighed in 1951, 74 exceeded one or more of the State weight limits, the East North Central region had the second highest rate of overloads (59) and in descending order of rates of violation were the West North Central (56), the West South Central (54), the Mountain (51), the New England (36), the Pacific (36), the East South Central (35), and the South Atlantic (34).

No panel or pick-up truck or other 2axle, 4-tired truck was weighed that exceeded any of the State weight regulations and these classifications are omitted from tables 10-12 although the number of such vehicles counted is included in the calculations.

#### Recommended Weight Limits

Uniform regulations concerning maximum allowable gross weights, axle weights, and axle-group weights have been adopted as a policy by the American Association of State Highway Officials and recommended to the State governments for adoption. This policy recommends that no axle shall carry a load in excess of 18,000 pounds and no group of axles shall carry a load in excess of amounts specified in a table of permissible weights based on the distance between the extremes of any group of axles.

The frequencies of axle loads of 18,000 pounds or more, 20,000 pounds or more, and 22,000 pounds or more have already been discussed in connection with table 9 and will not be discussed further here.

As might be expected, many vehicles were so loaded that they exceeded more than one recommended weight limit, and some vehicles had more than one axle loaded in excess of the recommended limit. Counting each vehicle only once, regardless of the number of ways in which it exceeded any of the A.A.S.H.O. recommended limits, table 11 was prepared to show the number of vehicles per 1,000 of each type, both loaded and empty, that exceeded the limits by various percentages. Those vehicles which exceeded more than one provision of the recommended restrictions were tabulated only in the column showing the highest percentage excess of any item.

In the various regions of the United States, the number of vehicles out of every 1,000 that exceeded the recommendations in 1951 was lower in each region except in the West North Central where the frequency of all excessive loads remained the same as in 1950. As might be expected, due to the high frequency of excessively heavy axles in the Middle Atlantic region, as in-

dicated in table 9, that region led all others in the number of vehicles out of every 1,000 that exceeded any of the A.A.S.H.O. recommendations (127 for each 1,000 vehicles counted), while in descending order were the East North Central (99), New England (88), Pacific (75), South Atlantic (61), Mountain (59), West South Central (51), West North Central (48), and East South Central (31).

In the United States as a whole, 72 vehicles out of every 1,000 were overloaded to some degree according to the A.A.S.H.O. standards and 16 out of every 1,000 exceeded some one of the recommended provisions by more than 20 percent. The frequency of vehicles exceeding the recommendations by any amount in 1951 was 21 percent less than in 1950. The frequency exceeding the recommendations by more than 20 percent in 1951 was almost 24 percent less than in the previous year.

Table 12 shows the number of vehicles of various types, per 1,000 vehicles with an axle-group load in excess of the limits recommended by the A.A.S.H.O. and in excess of the limits by various percentages. For the United States as a whole, the frequency of axle-group loads in 1951 was lower than in 1950 though somewhat higher than in 1949. When it is considered that the average weight of all trucks and combinations in 1951 exceeded the average weight of these vehicles in 1950 and that, at the same time, the frequency of axle-group loads in excess of the A.A.S.H.O. recommendations decreased materially, it appears that some effort is being made to reduce load concentrations. The 1951 frequency of excessive axle-group loads in the United States as a whole decreased from the frequencies of 1950 in all regions except in the South Atlantic and the West North Central regions. As in the previous year, the highest frequency of excessive axle-group loads was found in the Pacific region (68 per 1,000 vehicles), while the regions in descending order of the number of vehicles with excessive axle-group loads were East North Central (66), Middle Atlantic (53), Mountain (41), West North Central (30), West South Central (23), South Atlantic (22), New England (18), and East South Central (2).

It will be noted that a higher proportion

of the vehicles have excessive axle-group loads in the Pacific region than elsewhere, whereas table 9 shows that this region has the lowest frequency of heavy axle loads. This is because of the widespread use of multiple-axle vehicles in California and neighboring States.

In the United States as a whole, the number of vehicles with excessive axle-group loads per 1,000 counted in 1951 was about 11 percent less than the frequency found in the previous year, and the frequency of those exceeding the recommended amounts by 20 percent or more was about one-third less.

#### State Limits Higher

In considering the data concerning the frequencies of vehicles exceeding the State legal limits and the A.A.S.H.O. recommendations, especially the frequencies in the Middle Atlantic and New England regions, the fact should be recognized that higher limits generally are permitted under State laws in these areas than are recommended by the Association. Axles exceeding the recommended limits by as much as 25 percent may be within the legal limits of certain States, particularly in these two regions. Some States have no axle-group limits and one State has no prescribed axle-load limit in their motor-vehicle restrictions, a fact that further complicates direct comparison of excess weights based on law and those based on the recommendations. Comparison of the frequency data for New England and the Middle Atlantic regions given in table 11 with those in table 10 shows that only about one-third to one-half of the vehicles exceeding one or more of the Association recommendations actually exceeded a State legal limit. Due to more stringent weight laws in the East South Central, the West North Central, and the West South Central regions, the frequency of vehicles exceeding the State weight limits in the States of these regions is slightly greater than the frequency of those exceeding the Association recommendations. For the United States as a whole, over two-thirds of the vehicles exceeding one or more of the Association recommendations also exceeded a State legal limit.

<sup>\*</sup>Policy concerning maximum dimensions, weights, and speeds of motor vehicles to be operated over the highways of the United States, adopted April 1, 1946, by the American Association of State Highway Officials; published by the Association in 1946.

## Road Test One-MD

### **A Motion Picture**

Road Test One—MD, a motion picture produced by the Bureau of Public Roads, is now available for lending to interested organizations. The 16-millimeter color and sound film, in three reels, has a running time of about an hour and a quarter. It depicts the operation of and explains the conclusions drawn from the test conducted in 1950 at La Plata, Md., under the direction of the Highway Research Board on behalf of 11 Eastern States and with the cooperation of the Bureau of Public Roads. The final report of the study was recently published by the Board.

up

as ds. of

m-

11 in of nts

ird

the

tate

ida-

Aid-

mits

aws

by

eom-

cent

tain

ions.

and

limit

fact

rison

hose

rison

cland en in that the As-

ngent l, the South hicles

eater

g the

thirds

re of

o ex-

ROADS

In the test, a 1.1-mile section of typical concrete pavement, which had withstood 10 years of weathering and moderate traffic with very slight distress, was subjected to 6 months of continuous controlled truck traffic. On each of four test lanes, pairs of trucks were operated—single-axle trucks with 18,000- and 22,400-pound rear-axle loads, and tandem-axle trucks with 32,000 and 44,800 pounds on the tandem rear axles. Pumping, cracking, deflections and strains,

and other evidences of distress and failure were carefully recorded and analyzed in conjunction with data on soils, rainfall, etc.

Part I of the motion picture illustrates the nature and scope of the field operations. Evidence of the effect of the various loadings is shown in a chronological series of scenes focused on typical slabs.

Part II, by means of working models and animated charts, illustrates the data collected and the conclusions derived therefrom. The causes and effects of the phenomena observed are clearly and simply explained in layman's language.

The nature and distribution of the types of soils underlying the pavement, and their relation to pavement failure, are portrayed. The effects of typical rainfalls in the gradual increase of pumping and cracking are demonstrated, followed by a comparison of cracking under the various axle loadings on the uniform basis of lineal feet of cracking per slab on a single type (the predominant A-6) of soil.

A model pavement, supported first by

granular soil and then by fine-grained soil, shows how pumping occurs and what are its effects. The model slab, undermined by pumping, is actually broken by a miniature loaded truck. The nature and causes of stresses are demonstrated, and comparisons are made of the magnitudes and locations of stresses caused by single-axle and tandem-axle trucks, on both fully supported and pumped-out subgrades. The cause of longitudinal cracking is demonstrated.

The film ends with a summary of the conclusions drawn from the test, and brief comment on their significance.

Road Test One—MD may be borrowed by any responsible organization, without charge except for the nominal shipping costs, by writing to the Visual Education Section, Bureau of Public Roads, Washington 25, D. C. It is anticipated that there will be considerable demand for this film, and the number of available prints will be limited. In requesting loan of the picture, several alternate dates should be proposed. Loans can be made only for short periods of time.

## **New Publications**

The Annual Report of the Bureau of Public Roads for the fiscal year ended June 30, 1952, is now available from the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C., at 25 cents a copy.

This 81-page publication discusses the progress that was made during the fiscal year in Federal-aid highway planning, programing, and construction, as well as other functions of the Bureau relating to highways.

Accomplishments of the Bureau of Public Roads during the past fiscal year may be summarized in three main categories: the Federal-aid highway construction program, assistance to foreign countries in highway matters, and the research program in fields relating to highway improvement.

During the year the construction program was carried forward with the \$500 million Federal-aid authorization together with State and local government matching

funds. Work completed involved the improvement of 5,628 miles of principal intercity routes which carry the predominant portion of all rural traffic, the elimination of traffic-congested arteries in many of our populous cities by constructing 772 miles of modern high-speed expressways and other high-type facilities, and the improvement of 11,109 miles of the more important secondary roads serving the rural population. In addition to the regular Federal-aid program, emergency flood relief projects and improvements in National parks and forests totaled 601 miles. The total length of construction projects completed during the fiscal year ending June 30, 1952, at a cost of \$846 million was 18,110 miles.

A second phase of the Bureau's activity provided for aid to foreign countries which involved supervising the equipping, training, and organizing of highway departments, and assisting in the planning and restoring of highway systems. Such as-

sistance was made available to Turkey, Ethiopia, Liberia, and the Philippines. During the year, over 220 engineers from more than 54 countries came to the Bureau for assistance in studying American highway practice.

A third phase of the work of the Bureau related to research in the fields of highway finance and administration, highway transport, hydraulics, and physical studies of the properties of highway materials and soils, and the design of pavements and structures.

#### REPRINTS

Also available from the Superintendent of Documents are reprints of the articles Highway Transportation Economics by Richard M. Zettel, appearing in the August 1952 issue of Public Roads, vol. 27, No. 3 (10 cents), and Recent Trends in Highway Bond Financing by Messrs. Duzan, McCallum, and Todd, appearing in the October 1952 issue, vol. 27, No. 4 (20 cents).

Riv - and leaf baeff

.

A complete list of the publications of the Bu eau of Public Roads, classified according to subject and including the more important articles in PUBLIC ROADS, may be obtained upon request addressed to Bureau of Public Roads, Washington 25, D. C.

## PUBLICATIONS of the Bureau of Public Roads

The following publications are sold by the Superintendent of Documents, Government Printing Office, Washington 25, D. C. Orders should be sent direct to the Superintendent of Documents. Prepayment is required.

#### **ANNUAL REPORTS**

Work of the Public Roads Administration:

1941, 15 cents. 1946, 20 cents. 1948, 20 cents.

1942, 10 cents. 1947, 20 cents. 1949, 25 cents.

Public Roads Administration Annual Reports: 1943; 1944; 1945. (Free from Bureau of Public Roads)

Annual Reports of the Bureau of Public Roads:

1950, 25 cents. 1951, 35 cents. 1952, 25 cents.

#### HOUSE DOCUMENT NO. 462

- Part 1.—Nonuniformity of State Motor-Vehicle Traffic Laws.

  15 cents.
- Part 2.—Skilled Investigation at the Scene of the Accident Needed to Develop Causes. 10 cents.
- Part 3.—Inadequacy of State Motor-Vehicle Accident Reporting. 10 cents.
- Part 4.—Official Inspection of Vehicles. 10 cents.
- Part 5.—Case Histories of Fatal Highway Accidents. 10 cents.
- Part 6.-The Accident-Prone Driver. 10 cents.

#### UNIFORM VEHICLE CODE

- Act I.—Uniform Motor-Vehicle Administration, Registration, Certificate of Title, and Antitheft Act. 10 cents.
- Act II.—Uniform Motor-Vehicle Operators' and Chauffeurs' License Act. 15 cents. (revised 1952)
- Act III.—Uniform Motor-Vehicle Civil Liability Act. 10 cents.
- Act IV.—Uniform Motor-Vehicle Safety Responsibility Act. 15 cents. (revised 1952)
- Act V.—Uniform Act Regulating Traffic on Highways. 20
  - Model Traffic Ordinance. 15 cents. (revised 1952)

#### MAPS

- State Transportation Map series (available for 39 States). Uniform sheets 26 by 36 inches, scale 1 inch equals 4 miles. Shows in colors Federal-aid and State highways with surface types, principal connecting roads, railroads, airports, waterways, National and State forests, parks, and other reservations. Prices and number of sheets for each State vary—see Superintendent of Documents price list 53.
- United States System of Numbered Highways together with the Federal-Aid Highway System (also shows in color National forests, parks, and other reservations). 5 by 7 feet (in 2 sheets), scale 1 inch equals 37 miles. \$1.25.
- United States System of Numbered Highways. 28 by 42 inches, scale 1 inch equals 78 miles. 20 cents.

#### MISCELLANEOUS PUBLICATIONS

Bibliography of Highway Planning Reports. 30 cents.

Construction of Private Driveways (No. 272MP). 10 cents.

Economic and Statistical Analysis of Highway Construction Expenditures. 15 cents.

Electrical Equipment on Movable Bridges (No. 265T). 40 cents. Factual Discussion of Motortruck Operation, Regulation, and Taxation. 30 cents.

Federal Legislation and Regulations Relating to Highway Construction. 40 cents.

Financing of Highways by Counties and Local Rural Governments, 1931-41. 45 cents.

Guides to Traffic Safety. 10 cents.

Highway Accidents. 10 cents.

Highway Bond Calculations. 10 cents.

Highway Bridge Location. (No. 1486D). 15 cents.

Highway Capacity Manual. 65 cents.

Highway Needs of the National Defense (House Document No. 249). 50 cents.

Highway Practice in the United States of America. 75 cents. Highway Statistics (annual):

1945, 35 cents. 1947, 45 cents. 1949, 55 cents.

1946, 50 cents. 1948, 65 cents. 1950, 60 cents.

Highway Statistics, Summary to 1945. 40 cents.

Highways in the United States (nontechnical). 15 cents.

Highways of History. 25 cents.

Identification of Rock Types. 10 cents.

Interregional Highways (House Document No. 379). 75 cents.

Legal Aspects of Controlling Highway Access. 15 cents.

Local Rural Road Problem. 20 cents.

Manual on Uniform Traffic Control Devices for Streets and Highways. 75 cents.

Mathematical Theory of Vibration in Suspension Bridges. \$1.25.

Principles of Highway Construction as Applied to Airports,
Flight Strips, and Other Landing Areas for Aircraft. \$1.75.

Public Control of Highway Access and Roadside Development.

Public Land Acquisition for Highway Purposes. 10 cents.

Roadside Improvement (No. 191MP). 10 cents.

Selected Bibliography on Highway Finance. 55 cents.

Specifications for Construction of Roads and Bridges in National Forests and National Parks (FP-41). \$1.50.

Taxation of Motor Vehicles in 1932. 35 cents.

Tire Wear and Tire Failures on Various Road Surfaces. 10 cents.

Transition Curves for Highways. \$1.25.

Single copies of the following publications are available to highway engineers and administrators for official use, and may be obtained by those so qualified upon request addressed to the Bureau of Public Roads. They are not sold by the Superintendent of Documents.

Bibliography on Automobile Parking in the United States.

Bibliography on Highway Lighting.

Bibliography on Highway Safety.

Bibliography on Land Acquisition for Public Roads.

Bibliography on Roadside Control.

Express Highways in the United States: a Bibliography.

Indexes to Public Roads, volumes 17-19, 22, and 23.

Title Sheets for Public Roads, volumes 24, 25, and 26.

#### STATUS OF FEDERAL-AID HIGHWAY PROGRAM

AS OF DECEMBER 31, 1952

(Thousand Dollars)

STATE	UNPROGRAMMED BALANCES	ACTIVE PROGRAM											
		PROGRAMMED ONLY			PLANS APPROVED. CONSTRUCTION NOT STARTED			CONSTRUCTION UNDER WAY			TOTAL		
		Total Cost	Federal Funds	Miles	Total Cost	Federal Funds	Miles	Total Cost	Federal Funds	Miles	Total Cost	Federal Funds	Miles
Alabama Arizona Arkansas	\$14,266 7,367 10,434	\$26,072 2,160 11,225	\$13,454 1,490 5,938	470.7 57.5 334.5	\$8,142 795 1,133	\$4,072 544 583	200.2 16.9 57.3	\$26,293 6,556 13,538	\$13,420 3,881 6,939	299.5 73.6 296.3	\$60,507 9,511 25,896	\$30,946 5,915 13,460	970 148 688
California Colorado Connecticut	20,549 9,588 8,180	22,824 6,568 4,500	11,469 3,622 2,300	110.6 107.8 20.3	8,763 2,051 697	4,517 1,095 348	53.2 51.9 2.4	95,319 8,914 10,886	46,063 4,358 5,557	211.4 113.7 17.0	126,906 17,533 16,083	62,049 9,075 8,205	375 273 39
Delaware Florida Georgia	3,471 9,830 15,577	679 13,375 11,958	340 6,719 6,202	.8 177.9 300.6	1,061 11,226 8,070	530 5,821 4,048	3.3 131.8 94.3	6,703 13,804 33,457	3,389 6,983 16,020	31.9 230.1 512.7	8,443 38,405 53,485	4,259 19,523 26,270	36 539 907
daho Ilinois ndiana	7,370 29,902 19,932	10,210 32,962 30,854	6,148 18,083 15,820	281.8 309.9 135.3	1,893 19,679 8,320	1,190 10,172 4,170	47.7 109.1 126.4	7,077 53,760 22,440	4,556 27,876 12,254	87.3 405.9 131.5	19,180 106,401 61,614	11,894 56,131 32,244	416 824 393
owa Kansas Centucky	15,336 15,311 11,200	10,912 7,327 12,868	5,850 3,581 7,022	212.5 776.4 193.9	718 5,238 6,056	372 2,576 3,224	28.7 466.1 130.3	10,587 11,454 13,270	5,347 6,159 6,551	459.5 554.2 206.2	22,217 24,019 32,194	11,569 12,316 16,797	700 1,796 530
ouisiana Maine Maryland	9,911 4,445 10,769 13,274	14,386 6,483 7,788	7,191 3,529 3,581 2,266	111.5 25.3 57.7 14.5	4,872 315 1,584	2,422 239 625	33.0 .3 15.9	22,922 11,324 9,448	11,006 5,317 5,103	137.5 82.1 35.2	42,180 18,122 18,820	20,619 9,085 9,309	282 107 108
Massachusetts Michigan Minnesota	19,307 16,233	4,232 20,492 8,538	10,414	361.4 962.5	1,158 5,943 1,557	574 2,953 888	3.1 64.3 69.6	56,056 9,876	21,104 24,154 5,549	35.1 242.7 235.6	49,660 82,491 19,971	23,944 37,521 11,201	668 1,26
dississippi dissouri dontana	10,930 17,358 14,688	13,174 33,501 8,400	6,693 17,139 5,058	470.9 895.3 252.9	3,185 7,050 1,306	1,579 3,525 785	103.5 103.0 16.9	15,444 36,986 13,841	8,237 19,399 8,312	404.9 388.6 231.9	31,803 77,537 23,547	16,509 40,063 14,155	979 1,386 500
Nebraska Nevada New Hampshire	49,266 -6,621 -3,381	8,771 6,176 4,478	4,752 4,868 2,239	418.4 191.6 25.8	3,934 725 553	2,535 606 273	44.2 2.5 4.4	9,868 4,007 4,373	4,889 3,000 2,316	264.2 120.7 25.7	22,573 10,908 9,404	12,176 8,474 4,828	72 31 5
New Jersey New Mexico New York	6,590 8,376 46,288	12,074 1,682 84,719	1,076 44,622	40.4 40.6 148.6	14,775 1,858 25,904	6,855 1,189 12,283	5.3 54.4 36.5	28,534 6,728 121,244	14,098 4,304 55,598	32.2 172.7 401.0	55,383 10,268 231,867	26,844 6,569 112,503	26 58
North Carolina North Dakota Dhio	15,130 8,779 27,150	18,272 4,601 16,916	8,913 2,433 8,813	292.7 697.8 101.5	6,590 738 6,902	3,023 369 3,751	109.4 102.1 20.9	25,534 5,833 84,113	12,352 2,955 41,728	426.7 517.8 142.7	50,396 11,172 107,931	24,288 5,757 54,292	1,31 26
Oklahoma Oregon Pennsylvania	14,413 5,852 33,399	10,056 6,340 14,288	5,623 3,725 7,137	149.2 65.4 29.9	5,581 1,538 13,135	2,800 941 6,560	130.4 10.5 49.6	20,176 11,348 80,774	10,566 6,417 40,170	245.5 161.5 167.0	35,813 19,226 108,197	18,989 11,083 53,867	52 23 24
Rhode Island South Carolina South Dakota	3,354 8,733 7,826	3,793 10,234 4,168	1,897 5,487 2,374	29.5 155.4 365.1	769 2,279 2,899	384 1,215 1,646	2.7 125.3 142.7	18,258 15,287 6,208	9,507 7,843 3,876	26.7 302.7 362.0	22,820 27,800 13,275	11,788 14,545 7,896	58 86
Tennessee Texas Utah	14,224 31,729 3,898	8,038 7,851 4,741	3,992 3,951 3,640	320.8 160.0 68.7	7,957 15,672 2,889	3,984 8,863 2,102	116.3 376.4 79.8	28,832 54,919 9,788	13,174 29,124 7,392	291.1 925.8 155.1 40.9	44,827 78,442 17,418 9,945	21,150 41,938 13,134	1,46 30
Vermont Virginia Washington	3,170 12,488 10,709	2,863 10,135 6,877	1,616 5,030 3,776	28.0 128.9 97.2	1,007 5,318 2,082	2,609 1,114	7.6 110.5 37.4	6,075 25,113 7,844	3,035 11,982 4,463	200.0	16,803	5,150 19,621 9,353	19
West Virginia Wisconsin Wyoming	6,113 16,554 5,818	6,467 8,849 615	3,267 5,178 423	33.6 142.2 18.6	6,771 3,507 795	3,464 1,884 538	41.6 48.4 18.6	16,892 30,909 5,362	8,427 15,158 3,573	135.6 351.0 96.0	30,130 43,265 6,772	15,158 22,220 4,534	54 54
Hawaii District of Columbia Puerto Rico	2,850 4,330 5,891	2,457 13,014 9,499	1,206 5,686 4,640	5.4 1.2 67.1	1,800	899	7.3	13,483 4,895 14,195	6,098 2,444 6,790	41.9 .7 53.2	17,740 17,909 24,728	8,203 8,130 11,901	12
TOTAL	648,160	609,462	320,928	10,466.1	247,824	127,709	3,617.2	1,214,817	608,813	11,140.4	2,072,103	1,057,450	25,22

. S. advenuent Printing OFFICE 72196

UNITED STATES
GOVERNMENT PRINTING OFFICE
DIVISION OF PUBLIC DOCUMENTS
WASHINGTON 25, D. C.

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE TO AVOID PAYMENT OF POSTAGE, \$300 (GPO)

If you do not desire to continue receiving this publication, please CHECK HERE \_\_\_\_\_ tear off this label and return it to the above address. Your name will then be promptly removed from the appropriate mailing list.